



TECHNICAL INFORMATION

CLASICO DECORATIVE COATINGS

DESCRIPTION:

CLASICO is a matt interior decorative paint with effects, easy to apply in 2 coats.

With his large range of colours CLASICO does really fit into all type of interior.

TECHNICAL DATA:

pH	8.0 – 10.0 (23 ± 2 °C)	UNE-EN ISO 787-9
Theoretical spreading rate	First layer BASE DECORATIVA: 8 m ² /l. Consideration should be given to application losses, surface irregularities, etc. Termination CLASICO: 1,2 Kg./10 m ²	
Solvent	Water.	
Emissions in the indoor air	Class A+	French Legislation Decree No. 2011-321 of March 23, 2011

EU limit value for this product (cat. A/k): 100 g/l (2010). Max. content VOC: 30 g/l

APPLICATION:

Decorative coating for obtaining the effects.

INSTRUCTIONS FOR USE:

Application methods: Brush, roller and spatula.

Thinner and cleaning of tools: Water.

1. Substrate preparation

It can be used over any kind of support, painted surfaces, plaster, plasterboard walls, walls with plaster or cement plaster, etc.

Surfaces should be dry and free of dust, rust, grease, etc. and primed properly with SELLADORA, SELLADORA AQUA, DECOKRILL PENETRANTE, or DECOKRIL.

In areas with poor adherence (powdery walls, surfaces with little pore, etc.) Should be applied initially DECOKRIL PENETRANTE to increase the adherence.

It is generally recommended:

-) Apply between 5 °C and 35 °C.
-) It is not recommended to apply elevated temperatures support.
-) Perfectly homogenize the product before use.

Pinturas Decolor

Industrial Estate El Salvador Avenue 3ª, Parcels 4 and 5

Apdo. 106 – 02630 La Roda (Albacete) Spain

Phone: +34 967 44 17 14

Fax: +34 967 44 33 54

E-mail: dptotecnico@decolor.com

<http://www.decolor.com>



TECHNICAL INFORMATION

CLASICO DECORATIVE COATINGS

2. Application

Perfectly homogenize the product before use.

Apply the first tinted coat BASE DECORATIVA, on properly prepared walls, with a roller of short hair paint to $\pm 8 \text{ m}^2/\text{l}$.

3. Finishing

When the first layer is dry (12 hours), apply CLASICO finish (flat brush) to $\pm 120 \text{ g/m}^2$ with regular crossing movements and a regular touch.

When the finish begins to dry (5 to 10 min), smooth the CLASICO finish with a soft plastic spatula to highlight the unique finish of the product.

PRESENTATION:

Plastic packaging of: 1 L.

STORAGE:

12-24 months in closed original container under roof and temperatures between 5 °C and 35 °C and protected from the weather.

ADDITIONAL INFORMATION:

The information contained in this document serves as a guide for the user but does not constitute a guarantee. For information about safety and the environment, please refer to the Safety Data Sheet.

Pinturas Decolor

Industrial Estate El Salvador Avenue 3ª, Parcels 4 and 5

Apdo. 106 – 02630 La Roda (Albacete) Spain

Phone: +34 967 44 17 14

Fax: +34 967 44 33 54

E-mail: dptotecnico@decolor.com

<http://www.decolor.com>